

Medicinal Plants as A Source of Bioactive Compounds for Pharmaceutical Applications

Rafia Khanam ¹

¹ Research Scholar, Department of Botany, Mansarovar Global University, Sehore, M.P., India.

Dr. Pragya Saurabh ²

² Supervisor, Department of Botany, Mansarovar Global University, Sehore, M.P., India.

ABSTRACT

The importance of medicinal plants in human civilisation has been crucial from the beginning of human history. Almost every culture and civilisation in the world has relied on these plants for medicinal purposes. Many contemporary pharmaceuticals have their origins in medicinal plants, which are considered a treasure trove of traditional remedies. Herbal remedies, culinary seasonings, and illness preventatives have all been a part of human medicine for thousands of years. This research shows that medicinal plants are useful for more than only treating illnesses; they may also promote health and aid in the search for new drugs. The article highlights how these compounds help with the treatment of both acute and chronic illnesses by acting as antioxidants, anti-inflammatory, and antibacterial. Herbal medicines derived from plants are still widely used in traditional medicine, especially Ayurveda, since they are effective, inexpensive, and have little adverse effects. In addition, the growing interest in natural remedies and herbal medications throughout the world highlights their continued importance in contemporary healthcare systems. There is great potential for the creation of new medicinal agents via the combination of traditional knowledge with modern scientific study. That is why medicinal plants will always be an important part of healthcare sustainability and new medication development.

Keywords: *Medicinal plants, Phytochemicals, Medicine, Ayurveda, Drug.*

I. Introduction

People have always looked on nature for their most basic necessities, including food, shelter, medicine, clothing, flavourings, fertilisers, and transportation. In developing countries, where natural medicines have a long history of usage and medicinal plants continue to play a vital role in healthcare for large portions of the global population, this is especially true. The medicinal properties and relatively inexpensive advantages of these plants are attracting an increasing amount of attention from both developed and developing nations. Traditional medicine has its roots in plant-based therapies that date back thousands of years. Medicinal plants are still there to help people. The use of therapeutic herbs is supported by scientific evidence that dates back hundreds to thousands of years, and many of the beneficial attributes that plants are said to possess are really incorrect. The first written accounts, which are cuneiform and date back to around 2600 BC, detail the usage of a variety of substances. These included oils from plants including cedar, liquorice, papaver somniferum, cypress, and myrrh. Even now, people utilise these drugs to cure common colds and coughs.

Many different types of companies rely heavily on plants for various purposes. This includes the production of fine chemicals, cosmetics, medicines, and industrial raw materials. An essential function performed by medicinal plants in the development of novel pharmaceuticals. Many fatal diseases, including cancer and those caused by viral invasions, like AIDS and hepatitis, have no viable therapeutic options other than the usage of medicinal herbs. Several plant-derived drugs, such as vincristine, reseinnamine, vinblastin, deseridine, and reserpine, were among the roughly 100 new plant-based pharmaceuticals launched to the worldwide medical market between 1950 and 1970. Between 1971 and

1990, new drugs such as artemisinin, Z-guggulsterone, ginkgolides, lectinam, Eguggulsterone, teniposide, ectoposide, plaunotol, and nabilone were launched globally. The 2% of medications launched between 1991 and 1995 include irinotecan, toptecan, paclitaxel, and gomishin, among others. In 1953, the root of the Indian plant *Rauwolfia serpentina* was isolated and identified as a source of serpentine, marking a significant step forward in the treatment of hypertension and blood pressure reduction. Testicular and neck cancer, non-Hodgkins lymphomas, Hodgkins choriocarcinoma, and paediatric leukaemia were all treated with vinblastine, which was produced from the *Catharanthus roseus* plant. When it comes to cervical cancer, the Japanese often turn to the native Indian tree *Nothapodytes nimmoniana*, also known as *Maphia foetida*.

Even in the modern day, plants play an important role in medicine and hold great promise as a reliable supply of pharmaceuticals in the future. The discovery and development of new therapeutic agents is of the utmost importance, notwithstanding the availability of several contemporary drugs. It has been estimated that just one-third of the known human ailments have adequate treatments. Therefore, the fight against disease must go on without ceasing. The synergistic benefits of the compounds in traditional plant medicines, together with their low side effect profiles, have kept them at the forefront of today's pharmaceutical market. Treatments derived from plants have been discovered or produced in the last half-century, and the vast majority of these treatments have had a profound impact on contemporary medicine. These chemical building blocks exhibit the therapeutic properties of pharmaceuticals originating from animals and plants. Herbal remedies are endorsed and promoted by the World Health Organization (WHO) for inclusion in national health care systems. This is due to the fact that herbal medicines are safer than modern synthetic pharmaceuticals, and they are also more accessible, affordable, and time-tested. Studying pharmacologically/biologically active compounds found from screening natural sources, including plant extracts, has led to the discovery of various pharmaceutically significant drugs that are necessary in the treatment of human illnesses. A number of diseases that the synthetic drug industry has been unable to finance have recently found effective remedies thanks to phytochemical-pharmacological research. Some of the most important studies have focused on *Artemisia annua*, *Bacopa* spp., *Catharanthus roseus*, *Taxus* spp., *Lantana camara*, and others. Due to the presence of chemicals with strong pharmacological characteristics, many plants have transformed from being considered toxic or ineffective to being acknowledged as significant medicinal herbs.

To find bioactive chemicals, researchers often employ modern bioassays in conjunction with fractionation of medicinal plants used by traditional healers. This led to the isolation of many new compounds with potential medicinal uses. Researchers have been diligent, and as a result, herbal pharmaceuticals contain many novel pharmacologically active components, many therapeutic leads, and many powerful treatments. In 1826, German pharmaceutical company E. Merck started mass-producing morphine, the first medicine derived from plants to be commercialised. Nearly half of the best-selling pharmaceuticals in 1991 were either natural products or their derivatives. For ages, people have turned to medicinal plants as a way to treat illness without invasive pharmaceuticals. Herbal medicines and traditional remedies are names for plants that have specific health benefits and may help with a wide range of medical issues. Let's explore the intriguing realm of medicinal plants and learn how they might improve your well-being.

II. Traditional System of Medicine

About five thousand years ago, Ayurveda developed in India as a method of alternative medicine. Ayurveda was popular in India throughout the Vedic era, according to historical accounts. Approximately seven hundred plant species were detailed in the first millennium BC texts of the Charaka Samhita and the Sushruta Samhita. As a supplemental medicine practice, this medicinal approach is extensively used in different regions of the

globe. The goal of the Ayurvedic System of INDIA is to help people live long, healthy lives free from illness by recommending certain dietary and lifestyle changes. "Science of life" is the most basic definition of Ayurveda. Most rural and tribal areas in India employ around 7,500 herbs in their traditional medicine practices. In the Traditional Medical System, herbal remedies have always been the gold standard.

Traditional medical practices based on plants are still very important in modern medicine. There has been a recent uptick in the global market for cosmetics, nutraceuticals, herbal remedies, medications, and dietary supplements. More than half of all pharmaceuticals used in clinical trials in the modern era are natural compounds. Half or more of the herbal medications that have been licensed in the last 30 years were derived from plants, animals, microbes, or fungus in some way. National Medicinal Plant Board (NMPB) data suggests that by 2020, India's herbal business would be worth 80–90 billion rupees. The Ayurvedic, Yoga, Unani, Siddha, and Homoeopathic Traditional Medical Systems (AYUSH) are gaining popularity in India's health care industry because to international networks.

Many new illnesses have emerged in the last few decades, despite the fact that modern medicine has advanced. Integrating Ayurveda within the medical system for the treatment and management of lifestyle-related disorders is necessary in light of the developing issues in the healthcare system. A drug-free society is within reach, according to Ayurveda, which may treat illness and improve quality of life. The Indian government has formed a national policy to strengthen the country's long-established medical heritage by fostering its expansion and improvement. Ayurveda, Yoga and Naturopathy, Unani, Siddha, and Homoeopathy are all sub-departments of the larger Ministry of Ayurveda, Yoga and Naturopathy. The proportion of herbal medications used in various Indian medical systems is shown in Figure 1.1.




Figure 1: Percentage of Plant Species Under Different Systems of Indian Medicine

III. Therapeutic Potential of Phytochemicals from Plants

From both a modern and traditional perspective, medicinal plants play an important role in the medical field. The phytochemical compounds found in plants, such as alkaloids, phenols, tannins, and flavonoids, make them useful in medicinal applications. Many chemicals, including phytochemicals, which are nonnutritive bioactive molecules, are derived from plants and used in medicine and health care. Phytochemicals not only give plants their colour and scent, but they also aid in disease prevention and protect herbs from predators. In order to regularly employ medicinal herbs, a phytochemical analysis is necessary. Diets rich in some phytochemicals provide protection against chronic illnesses and oxidative stress on the body's inherent systems.

Medical, plant pathology, scientific, and many more disciplines make use of secondary metabolites. Numerous biological agents from various chemical classes were shown to prevent the growth of various microorganisms in in vitro experiments. Given that medicinal applications use about 30% of the whole plant or entire species of these secondary elements, their significance cannot be overstated.

Flavonoids

Flavonoids are a class of bioactive chemicals that have less systemic toxicity. Flavonoids, which include chemicals like flavanones, flavones, and flavonols, are widespread secondary metabolites found in many medicinal plants and vegetables. These chemicals have anaesthetic and potent antioxidant characteristics. Flavonoids, also known as dietary polyphenols, and phenolic acids are abundant in plant-based foods. In addition to their many other beneficial benefits, they play a crucial role in the treatment of chronic and degenerative diseases. In addition to their anaesthetic and antioxidant capabilities, they also exhibit a wide range of other actions, including those that stimulate the immune system, fight tumours, and reduce cell proliferation. There are a lot of flavonoids in the *Warionia saharae* plant. Its anti-diabetic potential is the reason for its use. Table 1 lists a number of other medicinal plants that contain flavonoids and the therapeutic roles of these compounds. When compared to dietary polyphenols, the biological value of the micro and macronutrients is high. Immersion in the small intestine occurs in 5–10% of dietary polyphenols. Prebiotic phytochemicals with antibacterial characteristics regulate the pathogenic microbiota in the intestines. New evidence suggests that flavonoids may protect the skin from inflammatory responses and aid in wound healing.

Terpenoids

Terpenoids are a class of compounds that perennial plants make. Isolated terpenoids number in the thousands. Many isoprene units allow terpenoids to be categorised into many groups, such as monoterpenoids, hemiterpenoids, sesquiterpenoids, and countless more. Terpenoids have antioxidant properties, decrease tissue loss, and modulate cytokine expression. There is a mechanism by which terpenoids inhibit infection.

Quinones are

Quinones are produced when plants undergo secondary metabolism. Each quinone falls into one of four categories determined by the number of benzene rings: benzoquinone, naphthoquinone, anthraquinone, or phenanthrenequinone. Quinones prevent the production of inflammatory mediators. In addition to reducing inflammation, quinones slow down cytokine expression and decrease oxidation.

Proliferative, inflammatory, and antimalarial effects have been shown for thymoquinone, a 1,4-benzoquinone derived from *Nigella sativa*. As a substrate for quinone-reductases, which may be linked to its antimalarial activities, the 1,2-naphthoquinone-based natural substance known as Dunnione 44 was extracted from the leaves of *Streptocarpus dunnii* (Gesneriaceae). Various methods are being used in the pursuit of bioactive quinones, which may one day be used to combat cancer, Chagas disease, and leishmaniasis. Quinones have a crucial role in metabolism as phytochemicals. As part of metabolic processes, the mitochondria conduct respiration and photosynthesis, two activities that involve the transport of electrons across the respiratory chain.

Alkaloids

Plant alkaloids are particularly essential because of the various medicinal functions they play. Morphine was the first alkaloid to be isolated. It was taken from a poppy plant and separated. Both pain relief and sleep difficulties might benefit from its use. Following this, a number of other alkaloids were discovered,

separated, and put to use. Many studies have shown the efficacy of alkaloids like vincristine, vinblastine, atropine, brucine, colchicine, etc., which are of tremendous therapeutic relevance. The alkaloids, the most abundant class of secondary chemical components, contain a lot of ammonia. The nitrogen bases included in alkaloids were converted into amino acids. A peptide ring contains a variety of radicals in place of hydrogen atoms. A peptide ring is mostly composed of oxygen atoms. Protecting plants from herbivores and diseases is one function of nitrogenous substances. The powerful biological effects make them useful as narcotics, stimulants, medicines, and poisons. From a pharmacological perspective, alkaloids are key ingredients in the making of anaesthetics and stimulants for the central nervous system. Despite the presence of over 12,000 alkaloids in 20% of plant species, their use for therapeutic reasons is minimal.

Carbohydrates

Carbohydrates make up the bulk of a typical human diet. Starch and sucrose, two main types of carbs, provide the body with 70–80% of its energy. The digestive process begins in the mouth and continues in the small intestine, where glucose, a 6-carbon molecule, is produced from carbs. Blood glucose is absorbed via the gut walls. The liver is responsible for transferring glucose, an energy source, to other regions of the body. Glucose is metabolised more thoroughly than fructose and galactose. An enzyme called α -glucosidase, which is located in the small intestinal epithelium, helps break down disaccharides and oligosaccharides into glucose. Inhibiting α -glucosidase activity to reduce glucose absorption rate is an important component of diabetic therapy. One of the functions of phytoconstituents is to inhibit α -glucosidase activity. Kidney and small intestine glucose absorption comes to a halt when functioning is inhibited. By maintaining a steady blood glucose concentration after food consumption, diabetes may be effectively managed.

Non-Digestible Carbohydrates

Nondigestible carbohydrates are complex, heterogeneous nutritional components obtained from plants. There are three categories of carbohydrates that the human digestive system cannot break down: resistant starch, non-digestible oligosaccharides, and non-starch polysaccharides. Colorectal cancer and gastrointestinal problems are common outcomes of consuming carbs that the body cannot digest. These are the building blocks of food.

IV. Pharmaceutical Applications of Phytochemicals in Disease Prevention and Treatment

Emerging research highlights the therapeutic potential of phytochemicals through antioxidant, anti-inflammatory, and gene-regulatory mechanisms. These bioactive compounds interfere with multiple stages of disease pathogenesis through diverse molecular mechanisms. At the cellular level, phytochemicals modulate signal transduction pathways including nuclear factor-kappa B (NF- κ B), mitogen-activated protein kinase (MAPK), and phosphoinositide 3-kinase (PI3K)/Akt pathways, which regulate inflammation, cell proliferation, and apoptosis. They influence gene expression through epigenetic modifications, including DNA methylation and histone acetylation, thereby altering the transcription of genes involved in disease progression. Phytochemicals also interact with cellular receptors, enzymes, and transcription factors, modulating metabolic processes and cellular responses to environmental stressors. The multitargeted nature of phytochemical action provides advantages over single-target synthetic drugs, particularly in managing complex, multifactorial diseases where simultaneous intervention at multiple molecular sites yields superior therapeutic outcomes.

Antimicrobial, Anti-inflammatory, and Antioxidant Properties

One exciting new area in the fight against drug-resistant infections is the antibacterial capabilities of phytochemicals. Researchers have found that phytochemicals like flavonoids, alkaloids, terpenoids, and phenolic compounds can kill *Mycobacterium* species by interfering with their cellular processes, which

in turn inhibits their growth and replication. The antimicrobial action of essential oils, phenolic acids, and alkaloids is broad-spectrum, including the ability to break microbial membranes, inhibit enzymes, and interfere with microbial DNA replication. These compounds are effective against a wide variety of microorganisms, including bacteria, fungus, viruses, and parasites. Phytochemicals' anti-inflammatory effects are due to their ability to reduce inflammatory mediators such as prostaglandins and leukotrienes and to inhibit proinflammatory cytokines and the enzymes cyclooxygenase (COX) and lipoxygenase (LOX). Their ability to scavenge free radicals, chelate metal ions, boost endogenous antioxidant enzyme systems, and upregulate phase II detoxification enzymes via the Nrf2-ARE signalling pathway are all sources of their antioxidant activity. Phytochemicals are very adaptable therapeutic agents for a wide range of inflammatory and infectious disorders due to their antibacterial, anti-inflammatory, and antioxidant actions.

V. Conclusion

The existence of bioactive chemicals in medicinal plants gives them tremendous therapeutic potential. Because of these bioactive substances, medicinal plants have the ability to treat a wide range of illnesses. There is abundant evidence that the ancients employed medicinal plants to treat a variety of illnesses. The use of herbal remedies has a long history, but modern science and technology have allowed us to build upon that work. The whole therapeutic potential of medicinal plants may be realised via the use of herbal medicine, which can be further facilitated by collaboration and integration of herbal medicine into the healthcare delivery system.

References

1. Ahmed, I., & Beg, A. Z. (2001). Antimicrobial and phytochemical studies on 45 Indian medicinal plants against multidrug resistant human pathogens. *Journal of Ethnopharmacology*, 74, 113–123.
2. Bajpai, A. K., & Agarwal, K. K. (2015). Uses and importance of medicinal plants as an alternative medicine a historical review. *Journal of Environmental Science, Toxicology and Food Technology*, 1(1), 21–23.
3. Balunas, M. J., & Kinghorn, A. D. (2005). Drug discovery from medicinal plants. *Life Sciences*, 78(5), 431–441.
4. Greenwell, M., & Rahman, P. K. S. M. (2015). Medicinal plants their use in anticancer treatment. *International Journal of Pharmaceutical Sciences and Research*, 6(10), 4103–4112.
5. Hassan, A., Rahman, S., Farah, D., & Mahmud, S. M. (2009). Antimicrobial activity of some plant extracts having hepatoprotective effects. *Journal of Medicinal Plants Research*, 3(1), 20–23.
6. Kauthkar, D. M., Kardile, S. L., Kawale, N. B., & Muley, S. S. (2020). Anti-diabetic medicinal plant a review. *Plants, People, Planet*, 3(5), 493–501.
7. Khan, H. (2014). Medicinal plants in light of history recognized therapeutic modality. *Journal of Evidence-Based Complementary & Alternative Medicine*, 19(3), 216–219.
8. Mohan, C., Karnakar, A., Sateesh, S., Rama Devi, B., Manjula, P., & Sreekanth, D. (2014). Phytochemical analysis and in vitro propagation of *Gymnema sylvestre* R.Br., a valuable medicinal plant. *International Journal of Current Biotechnology*, 1(1), 16–21.
9. Olayiwola, O. A. (2013). Phytochemicals and spectrophotometric determination of metals in various medicinal plants in Nigeria. *International Journal of Engineering Science Invention*, 2(5), 51–54.
10. Patro, L. (2016). Medicinal plants of India with special reference to Odisha. *International Journal of Advance Research and Innovative Ideas in Education*, 2(5), 121–135.

11. Petrovska, B. B. (2012). Historical review of medicinal plants' usage. *Pharmacognosy Reviews*, 6(11), 1–5.
12. Shihabudeen, M. S., Priscilla, H. D., & Thirumurugan, K. (2010). Antimicrobial activity and phytochemical analysis of selected Indian folk medicinal plants. *International Journal of Pharmaceutical Sciences and Research*, 1(10), 430–434.
13. Tantry, M. A. (2009). Plant natural products and drugs a comprehensive study. *Asian Journal of Traditional Medicines*, 4(6), 241–249.
14. Vincent, P. K., Titanji, D. Z., Zofou, D., & Ngemenya, M. N. (2008). The antimalarial potential of medicinal plants used for the treatment of malaria in Cameroonian folk medicine. *African Journal of Traditional, Complementary and Alternative Medicines*, 5(3), 302–321.